

# Elisi Contour

## 12 Jet Spa Bath

Product Code: EI1700FSCNWIO

**DECINA**  
DISCOVER INDULGENCE

- Australian Standard 1172.5:2019
- Adjustable self-supporting feet
- Integrated overflow
- Lumbar support
- 4 x flush C-Lenda™ centro jets
- 8 x flush C-Lenda™ mini jets
- 1 x flush C-Lenda™ suction
- Eco Key remote control
- 750 watt Auto Heat Eco Transfer Pump
- The spa pump is located at the end of the bath directly under the perimeter




### OPTIONAL ACCESSORIES

- ☒ 40mm Removable Pop-Down Waste W/O Chrome OWA018
- ☒ Sia Headrest Black Curved SY242-B



WHITE JET OPTION

BATH ONLY OPTION






### PRODUCT SPECIFICATIONS

|                 |                                 |
|-----------------|---------------------------------|
| Colour:         | High gloss white                |
| Material:       | Premium sanitary grade acrylic  |
| Length:         | 1700mm                          |
| Width:          | 840mm                           |
| Height:         | 595mm                           |
| Capacity:       | 170L [200mm below the bath rim] |
| Bath Type:      | Freestanding spa bath           |
| Waste Position: | Centre                          |
| Net Weight:     | 60kg                            |

|           |                                  |
|-----------|----------------------------------|
| Pump      | 6131 Auto Heat Eco Transfer Pump |
| Voltage   | 240V                             |
| Power     | 750W                             |
| Current   | 4.4A                             |
| Flow Rate | 350LPM                           |

The Elisi Contour freestanding spa bath is supplied fully plumbed & with a 10AMP, 50HZ, 240V pump fitted with a 3-pin power plug. It will be required to be plugged into a suitable power point. For further guidance on the location of the power point & any other electrical requirements, please discuss with your licensed electrician. Electrical installation must comply with AS:3000 - electrical wiring rules.

**Please note for any future maintenance on the spa bath, the waste will need to be disconnected and bath removed.**



For full warranty conditions please scan QR Code

**DECINA.COM.AU** 1300 DECINA   

\*Warranty T&Cs apply, visit [decina.com.au](http://decina.com.au) Decina reserves the right to change specifications without notice. Due to manufacturing tolerances dimensions may vary +/- 5mm and preparation should only occur after product arrives on site to confirm measurements. Please confirm all particulars prior to purchase, call 1300 DECINA or visit [decina.com.au](http://decina.com.au) Updated 20/05/2025

## ELISI FREESTANDING CONTOUR SPA BATH INSTALLATION & OWNER GUIDE

Thank you for purchasing a Decina Elisi Freestanding Spa Bath.

This manual provides the correct steps and care advice for a safe and long lasting installation.

Manufactured from premium sanitary grade acrylic, Decina's freestanding spa baths are easy to install, with adjustable self-supporting feet & can be freely located anywhere in your bathroom.



EI1700FSCNW (12 jets) 1700(L) x 840(W) x 570 - 595(H) mm

### **THIS PRODUCT MUST BE INSTALLED BY A QUALIFIED TRADESMAN**



#### **PRE-INSTALLATION CHECKS**

- ❗ Unpack & check the item is correct & no damage has occurred during transit.
- ❗ If there are any visible defects DO NOT PROCEED WITH THE INSTALLATION & please contact the place of purchase immediately. **ANY CLAIMS FOR DAMAGE WILL NOT BE ACCEPTED AFTER INSTALLATION.**
- ❗ Protect your spa bath before & during installation, scratches &/or cracks &/or surface damage sustained during or after the installation are not covered by warranty.
- ❗ Installation must be in accordance with building regulations & local authority requirements.
- ❗ Electrical installation must comply with AS:3000 - Electrical Wiring Rules.

### **MAINTENANCE**


**DECINA USES THE HIGHEST SANITARY GRADE ACRYLIC, HOWEVER NAKED FLAMES, CIGARETTES OR STRONG CHEMICALS SHOULD BE AVOIDED & REMOVED IMMEDIATELY TO PRESERVE THE HIGH GLOSS ACRYLIC SURFACE:**

- ❗ When filling the bath start with cold water to allow the bath to gradually adapt to the temperature.
- ❗ After using your bath clean with a soft cloth & warm soapy water to clean any oils or soap, to prevent tide marks & preserve the polished surface.
- ❗ Clean using warm soapy water & only mild liquid detergents. Do not use powders, pastes, creams, chemicals, window cleaning sprays or abrasive cleaners.
- ❗ Cream cleaners may only be used to remove stubborn marks.
- ❗ Scratches can be removed with a fine polish like Brasso.

## INSTALLATION STEPS

### STEP 1.

Unpackage your freestanding bath. Check for damage and ensure your bath does not come in contact with any rough surfaces which may scratch your bath. Place your freestanding bath on cardboard or carpet during installation.




### STEP 2.

Place the freestanding bath in the correct position for installation.

Adjust the leveling feet until the bath base is 3-5mm above the finished floor. If measuring from the unfinished floor take into account the floor finishing thickness (such as tiles) into account. Turn the feet bolts and level accordingly.

Ensure there is 3-5mm of space between the bottom of the bath shell and the floor. Installing directly on the floor will place pressure on the outside wall of the bath, and will potentially crack the bath.

Ensure the bath is level so all water can drain to the waste outlet.



### STEP 3.

The Elisi Contour freestanding spa bath is supplied fully plumbed & with a 10AMP, 50HZ, 240V pump fitted with a 3-pin power plug.

It will be required to either be hardwired or plugged into a suitable power point.

For further guidance on the location of the power point & any other electrical requirements, please discuss with your licensed electrician. Electrical installation must comply with AS:3000 - electrical wiring rules.

**NOTE:** for any future maintenance on the spa bath, the waste will need to be disconnected and bath removed.

### STEP 4.


Carefully tilt the bath (or support in raised position) and check the pump manifolds have not loosened in transport and then connect it to the drain outlet.

Once the waste has been connected, and the spa is in position, fill the bath with water and let sit for 10 minutes. Inspect under the bath for any visible leaking.

Start the spa pump and allow to run. After 10 minutes check for any visible leaking under the spa.

Allow the water to sit for a further 10 minutes and check for any visible leaking under the spa.


Drain the bath ensuring the water drains and there is no leaking.



PLEASE NOTE:  
A flexible bath connector cannot be used with Elisi 1700mm bath. Connect the waste directly to the drain.

### STEP 5.

Apply a thick bead of silicon around the bath base & the finished floor & allow it to set for 24 hours.



## WARRANTY TERMS & CONDITIONS

All Decina products are manufactured to the highest standards and guaranteed to be free of defects, subject to the conditions outlined below. In addition to the statutory rights given under Australian Consumer Law, Decina offers the following extended warranty periods from the date of purchase or handover:

| PRODUCT                        | WARRANTY          | TERMS                                 |
|--------------------------------|-------------------|---------------------------------------|
| ELISI SPA BATH - Acrylic Shell | 10 Years / 1 Year | Replacement Products / Parts & labour |
| SPA BATH PUMP                  | 5 Years / 1 Year  | Replacement Products / Parts & labour |
| SPA BATH JETS/FITTINGS         | 5 Years / 1 Year  | Replacement Products / Parts & labour |

The Decina warranty is only applicable when the product has been installed by a qualified tradesman, in full accordance with the installation instructions and statutory requirements. The warranty specifically EXCLUDES damages discovered AFTER installation.

Decina's responsibility for claims relating to impact damage ceases within 48 hours after delivery to the Decina re-seller's store.

The extended warranties only apply to faults or defects in the product arisen solely from faulty materials or workmanship in the products and does not apply to other defects for example from; damage, abuse, neglect or changes to the product supplied.

The warranty only extends to the supply of a replacement product or credit to the value of the purchase and excludes consequential damage ensuing from the product application or use. The responsibility for the removal and replacement of the product is with the installer and/or owner. Where the manufacturer "Decina" accepts that the product is at fault, the maximum contribution to the removal and replacement costs will be \$500.

Repairs of the Products other than by a Decina accredited or licensed service agent or technician are not covered.

In addition to this extended warranty, certain legislation (including the ACL) may give you certain rights which cannot be excluded, restricted or modified, this extended warranty must be read subject to such legislation and nothing in this warranty has the effect of excluding, restricting or modifying those rights.

To make a warranty claim, please visit the Decina website [decina.com.au/warranty-claim/](http://decina.com.au/warranty-claim/) or email [services@decina.com.au](mailto:services@decina.com.au) and attach the following documentation:

- Proof of purchase (original invoice from the supplier)
- Details of the warranty claim including the date of installation, installer's details and head contractors
- Your contact details

If the Product has not been installed, please contact Decina to inspect the Product. If the claim is accepted, the Product can be returned or exchanged. Note: The extended warranty only applies to the original owner and is not transferable. Decina reserves the right to charge a service fee for any staff called to attend premises where products have been installed and the warranty claim is not authorised.

Copyright Feb 2019. Decina Bathroomware Pty Ltd. ABN 39845 084 033

## **PLEASE LEAVE THIS MANUAL WITH THE END USER**